

HAND TOOLS FOR ELECTRONICS, COMMUNICATIONS, OPTIC



HT-322
4.3"(108mm)



HT-312A/B/S/X
4.3"(108mm)

- HT-322 with streamlined design, no replacement cassette is needed and no adjustment for V-block. Tool has been preset for RG58/59/6.
- For stripping different materials of cable, use the built-in hex key to align the sensitive socket and adjust the blade for good results.

	For stripping RG cable	Stripping distance
HT-322	RG-58/59/62/6	<p>3 blades model</p> <p>Fig. 1</p>
HT-312A	RG-59/62/6/4C/5C	
HT-312B	RG-58/59/62/3C/4C	
HT-312X	For cable O.D. from $\phi 3.5$ - $\phi 5$ mm	
HT-312S HT-322S3	For big cable O.D. around $\phi 10.5$ such as RG-213	

YEONG TZAW ASSOCIATES INC.
9F NO. 659 XHONG ZHENG RD., XINZHUANG DISTRICT
24257 NEW TAIPEI CITY TAIWAN.
TEL.:886-2-29060325 FAX:886-2-29035545
[E-MAIL:YTAI@TPTS5.SEED.NET.TW](mailto:YTAI@TPTS5.SEED.NET.TW)

HAND TOOLS FOR ELECTRONICS, COMMUNICATIONS, OPTIC




HT-332
3.9"(99mm)



HT-302A/B
4.1"(150mm)

- The V-block can be reversed and the indication arrow "▶" show recommended cable size. Stripping distance can be changed if user moves one of the stripping blades. (AS FIG. 2)
- Stripping the coaxial jacket and inner conductor in one operation by rotating the stripper in clock wise direction 3-6 times, easy and effective.
- For stripping different materials of cable, use the built-in hex key to align the sensitive socket and adjust the blade for good results.

	For stripping RG cable	Stripping distance
HT-332	RG-58/59/62/6/6QS/3C/4C/5C	2 blades model  Fig. 2 302 SERIES D=6, 8mm 332 SERIES D=4, 6, 8, 12mm
HT-332A	RG-59/62/6/4C/5C	
HT-332B	RG-58/59/62/3C/4C	
HT-332D	RG-174	
HT-302A	RG-59/62/6/4C/5C	
HT-302B	RG-58/59/62/3C/4C	
HT-322S	RG-8/11/213	

Replacement blade :

HT-302 series : HT-3021, HT-312 series : 3121


HT-322 series : HT-3321, HT-322 series : 3221

Special requirement is available.

YEONG TZAW ASSOCIATES INC.
 9F NO. 659 XHONG ZHENG RD., XINZHUANG DISTRICT
 24257 NEW TAIPEI CITY TAIWAN.
 TEL.:886-2-29060325 FAX:886-2-29035545
[E-MAIL:YTAI@TPTS5.SEED.NET.TW](mailto:YTAI@TPTS5.SEED.NET.TW)

HAND TOOLS FOR ELECTRONICS, COMMUNICATIONS, OPTIC



	For stripping RG cable	Stripping distance
HT-322C1	RG-8/11/213	2 blades model  322C1: D=6.4mm (1/4") 322C2: D=3.2mm (1/8") 322C3: D=6mm
HT-322C2	RG-8/11/213	
HT-322C3	RG-58/59/6	

Replacement cassette :

HT-322C1 : HT-R2C1

HT-322C2 : HT-R2C2

HT-322C3 : HT-R2C3

YEONG TZAW ASSOCIATES INC.
 9F NO. 659 XHONG ZHENG RD., XINZHUANG DISTRICT
 24257 NEW TAIPEI CITY TAIWAN.
 TEL.:886-2-29060325 FAX:886-2-29035545
[E-MAIL:YTAI@TPTS5.SEED.NET.TW](mailto:YTAI@TPTS5.SEED.NET.TW)

HAND TOOLS FOR ELECTRONICS, COMMUNICATIONS, OPTIC



- 1-Blade model
- Body made of ABS
- Stripping cables by 2 steps.
- Slot "A" for stripping center core.
- Slot "B" for stripping outer jacket.

Rotating each 3 to 5 times in clockwise direction (as arrow) .

	Description
HT-501N	For stripping RG58, RG59 and RG6 cable.
HT-501NC	For stripping and cutting RG58, RG59 and RG6 cable.

YEONG TZAW ASSOCIATES INC.
9F NO. 659 XHONG ZHENG RD., XINZHUANG DISTRICT
24257 NEW TAIPEI CITY TAIWAN.
TEL.:886-2-29060325 FAX:886-2-29035545
[E-MAIL:YTAI@TPTS5.SEED.NET.TW](mailto:YTAI@TPTS5.SEED.NET.TW)

HAND TOOLS FOR ELECTRONICS, COMMUNICATIONS, OPTIC



- Light weight, compact, cost-effective stripper, simple to operate.
- Adjustable stripping blade for different insulation thickness, prevents damage of shielding and conductors.
- The cassette can be reversed to change different coaxial cable.
- Easily to adjust with thumb screw.

	Description
HT-352	Strips outer jacket of UTP and STP cable and CAT-5 round telephone cable. Strips RG59/6/11/7 coaxial cable Strips flat telephone cable. With cable cutter.
HT-352A	Strips outer jacket of UTP and STP cable and CAT-5 round telephone cable. Strips 18 AWG & 24 AWG. Strips flat telephone cable. With cable cutter.
HT-352B	Strips outer jacket of UTP and STP cable and CAT-5 round telephone cable. Strips RG59/6 for two sides. Strips flat telephone cable. With cable cutter.

- Replacement Cassette :
- HT-352 : HT-R352
HT-352A : HT-R352A
HT-352B : HT-R352B

YEONG TZAW ASSOCIATES INC.
9F NO. 659 XHONG ZHENG RD., XINZHUANG DISTRICT
24257 NEW TAIPEI CITY TAIWAN.
TEL.:886-2-29060325 FAX:886-2-29035545
[E-MAIL:YTAI@TPTS5.SEED.NET.TW](mailto:YTAI@TPTS5.SEED.NET.TW)

HAND TOOLS FOR ELECTRONICS, COMMUNICATIONS, OPTIC

HT-351
5" (128mm)



HT-351

Specification:

***Function** : Stripping coaxial cable RG59, RG6, RG7, RG11.

***Length** : 5.0" (128±3mm)

***Weight** : 48g

*Material:

Body - Made of A.B.S.

Blade - Made of SK5

Crimping Procedure:

1. Push cassette out of the housing.
2. Cassette is reversible for RG59/6, RG7/11.
3. For stripping coaxial cables.


YEONG TZAW ASSOCIATES INC.
9F NO. 659 XHONG ZHENG RD., XINZHUANG DISTRICT
24257 NEW TAIPEI CITY TAIWAN.
TEL.:886-2-29060325 FAX:886-2-29035545
[E-MAIL:YTAI@TPTS5.SEED.NET.TW](mailto:YTAI@TPTS5.SEED.NET.TW)

HAND TOOLS FOR ELECTRONICS, COMMUNICATIONS, OPTIC



HT-323
4.8"(121mm)

- Light weight, compact, cost-effective stripper is simple to operate.
- Stripping the coaxial jacket and inner conductor in one operation by rotating the stripper in clockwise direction 3-6 times, easy and effective.
- No adjustments needed

	For stripping RG cable	Stripping distance
HT-323	RG59/62/6/11/7/213/8	2 blades model  Fig. 2 RG59/6 D=6.35mm(1/4") RG11/7 D=6.35mm(1/4")

YEONG TZAW ASSOCIATES INC.
 9F NO. 659 XHONG ZHENG RD., XINZHUANG DISTRICT
 24257 NEW TAIPEI CITY TAIWAN.
 TEL.:886-2-29060325 FAX:886-2-29035545
[E-MAIL:YTAI@TPTS5.SEED.NET.TW](mailto:YTAI@TPTS5.SEED.NET.TW)